



How to measure slings



Very Important: Please carefully read the instructions

About Custom Slings:

Custom order slings are non-returnable and non-refundable once they are made to your measurement because they cannot be reused. Please make sure you measure your slings twice before placing your order. Follow our instructions on measuring slings below and follow exactly as we describe.

About Placing Your Order:

We recommend taking the measurement while the old slings are still on your Chair, Chaise, Loveseat, Ottoman, or Bar Stool. **Measure the visible sling only. Please measure from the front of the furniture.** Make sure all the bolts are tight. When measuring round to the closest 1/8". **DO NOT** add or take away to your measurements as this will cause your slings to be too tight or too loose. Please follow the exact measuring instructions.

The following pictures will guide your steps in how to measure your slings properly and submit your order to **PatioChairSupplies.com**



How to measure slings

HOW TO MEASURE A ONE PIECE SLING CHAIR OR CHAISE LOUNGE

Step one: Measuring top width



Most patio sling chairs have a rail on each side of the frame with an opening for the sling to slide into. Using a flexible cloth or a plastic tape measure, locate where the top bolts are on each sling rail frame and measure from the edge of the sling on one side of the frame rail to the edge of the sling on the other side of the frame rail. As indicated on Pic.1 and Pic.2



It is very important to measure your slings exactly where the top bolts are. If our guidelines are not followed it may cause your slings not to fit properly. Remember to measure to the closest 1/8" and do not add or take away from the exact measurements.

Step two: Measuring bottom width



NEVER use the top width measurement for the bottom width of sling as they could be different. Using a flexible cloth or a plastic tape measure from the edge of the sling on one side of the frame rail to the edge of the sling on the other side of the frame rail as indicated on Pic.3 and Pic.4



How to measure slings



Remember to measure to the closest 1/8" and do not add or take away from the exact measurements.

Step three: Measuring the length

When measuring the length of sling use the sling rail as your guide not the sling fabric. Start your measurement at the top of the rail Pic.5 to the bottom of the rail Pic.6, following the chairs contour as we show in Pic.7

Remember to measure to the closest 1/8" and do not add or take away from the exact measurements.





How to measure slings



HOW TO MEASURE A TWO PIECE SLING CHAIR OR CHAISE LOUNGE

Two piece sling Chair or a two piece sling Chaise Lounge is very simple to measure. Just follow step one, step two and step three from How the Measure a One Piece Sling Chair for the top and for the bottom sling measurements.

Back Sling:

Step one is measuring top width of your back sling, step two is measuring bottom width of your back sling and step three is measuring the length of your back sling.

Bottom Sling:

Start at step one, step two and step three for the bottom or seat sling.

You should have 3 measurements for the back sling and three measurements for the seat sling.

When placing your order you will need 6 separate measurements for your Chair or for your Chaise Lounge sling order.

Remember to measure twice so we will cut them only once.